JOURNAL OF FLUIDS ENGINEERING
Author Index
for
Volume 111, 1989

A

Adams, E. W. and Stamou, A. I., Bistable Flow Patterns in a Free Surface Water Channel, pp. 408–413.
Afalo, S. S., See Fruman, D. H. and Afalo, S. S., pp. 211–216.
Alhusein, M. A., See Cockrell, D. J., Nigim, H. H., and Alhusein, M. A., pp. 472–477.
Ali, M. A., See Takhar, H. S., Ali, M. A., and Soundalgekar, V. M., pp. 97–99.
Allaire, A. J. S., See Jumper, E. L., Dimmick, R. L., and Allaire, A. J. S., pp. 256–262.
Arndt, R. E. A., See Higuchi, H., Arndt, R. E. A., and Rogers, M. F., pp. 495–501.

B

Balint, J.-L., See Vukoslavčević, P., Balint, J.-L., and Wallace, J. M., pp. 220–223.
Barron, R. M., See Hamdan, M. H. and Barron, R. M., pp. 433–438.
Baskharone, E. A. and Hensel, S. J., A New Model for Leakage Prediction in Shrouded-Impeller Turbopumps, pp. 118–125.
Bassi, F., Perdichizzi, A., Osnaghi, C., and Savini, M., Secondary Flows in a Transonic Cascade: Comparison Between Experimental and Numerical Results, pp. 369–377.
Bistafa, S. R., Lauchle, G. C., and Reethof, G., Noise Generated by Cavitation in Orifice Plates, pp. 278–289.
Bogard, D. G., See Goenka, L. N., Panton, R. L., and Bogard, pp. 111–117.
Boyle, M. T. and Langston, L. S., Asymmetrical Boundary Layer Separation at the Base of a Two Cylinder Geometry, pp. 443–448.
Bruggeman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., Flow Induced Pulsations in Gas Transport Systems: Analysis of the Influence of Closed Side Branches, pp. 484–491.

C

Chandrasekhara, M. S., See Ramaprian, B. R. and Chandrasekhara, pp. 69–77.
Choi, S., Kim, J. W., and Hyun, J. M., Transient Free Surface Shape in an Abruptly Rotating, Partially Filled Cylinder, pp. 439–442.
Choi, Y. D., Iacovides, H., and Launder, B. E., Numerical Computation of Turbulent Flow in a Square-Sectioned 180 Deg Bend, pp. 59–68.
Chow, L. C., LeLand, J. E., Beam, J. E., and Mahefkey, E. T., The Drag Coefficient of a Sphere in a Square Channel, pp. 229–230.
Clausen, P. D. and Wood, D. H., The Corrections of X-Probe Results for Transverse Contamination, pp. 226–229.
Cockrell, D. J., Nigim, H. H., and Alhusein, M. A., Turbulent Boundary Layer Development in the Presence of Small Isolated Two-Dimensional Surface Discontinuites, pp. 472–477.
Cox, S. A., See Porges, K. G. A., Cox, S. A., Herzenberg, C., and Kampschoer, C., pp. 337–341.
Crowe, C. T., See Sharma, M. P. and Crowe, C. T., pp. 184–190.

D

d'Agostino, L., Pham, T., and Green, S., Comparison of a Cavitation Susceptibility Meter and Holography for Nuclei Detection in Liquids, pp. 197–203.
Dimmick, R. L., See Jumper, E. L., Dimmick, R. L., and Allaire, A. J. S., pp. 256–262.
Dimotakis, P. E., See Shen, Y. T. and Dimotakis, P. E., pp. 306–316.
Duh, T-Y. and Shi, Y-D., Fully Developed Flow in Curved Channels of Square Cross Sections Inclined, pp. 172–177.
Dutton, J. C., See Morris, M. J. and Dutton, J. C., pp. 400–407.
Dutton, J. C., See Morris, M. J. and Dutton, J. C., pp. 392–399.
Dyment, A., A Modified Form of the Betz' Wind Turbine Theory Including Losses, pp. 358–359.

E

Eidsvik, K. J., See Solberg, T. and Eidsvik, K. J., pp. 414–419.
Ervin, J. S., Suryanarayana, N. W., and Ng, Hon Chai, Radial, Turbulent Flow of a Fluid Between Two Coaxial Disks, pp. 378–383.
Evers, L. W., See Nelson, D. A., Evers, L. W., O'Donnell, D. M., and Morgn, E. J., pp. 348–352.

F

Freymuth, P., Visualizing the Connectivity of Vortex Systems for Pitching Wings, pp. 217–220.
Fruman, D. H. and Afalo, S. S., Tip Vortex Cavitation Inhibition by Drag-Reducing Polymer Solutions, pp. 211–216.
Fry, S. A., See Wood, R. J. K. and Fry, S. A., pp. 271–277.
Fry, S. A., The Damage Capacity of Cavititating Flow From Pulse Height Analysis, pp. 502–509.
Fung, Y. T., Unstable Waves of Jet Flows With Density Inhomogeneity, pp. 238–242.

G

Goenka, L. N., Panton, R. L., and Bogard, D. G., Studies of Flow Patterns in a Diffuser Designed to Generate Longitudinal Vortices (89-FE-5), pp. 111–117.
Gorter, J., See Bruggman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., pp. 484–491.
Granville, P. S., A Modified Van Driest Formula for the Mixing Length of Turbulent Boundary Layers in Pressure Gradients, pp. 94–97.
Green, S., See d'Agostino, L., Pham, T., and Green, S., pp. 197–203.
Green, P. R., A Useful Approximation to the Error Function: Applications to Mass, Momentum, and Energy Transport in Shear Layers, pp. 224–226.
Grimley, T. A., See Park, J. T., Mannheimer, R. J., Grimley, T. A., and Morrow, T. B., pp. 331–336.

H

Hailey, C. E., See Wolfe, W. P., Hailey, C. E., and Oberkampf, W. L., pp. 300–305.

JOURNAL OF FLUIDS ENGINEERING
Author Index
for
Volume 111, 1989

A

Adams, E. W. and Stamou, A. I., Bistable Flow Patterns in a Free Surface Water Channel, pp. 408–413.
Afalo, S. S., See Fruman, D. H. and Afalo, S. S., pp. 211–216.
Alhusein, M. A., See Cockrell, D. J., Nigim, H. H., and Alhusein, M. A., pp. 472–477.
Ali, M. A., See Takhar, H. S., Ali, M. A., and Soundalgekar, V. M., pp. 97–99.
Allaire, A. J. S., See Jumper, E. L., Dimmick, R. L., and Allaire, A. J. S., pp. 256–262.
Arndt, R. E. A., See Higuchi, H., Arndt, R. E. A., and Rogers, M. F., pp. 495–501.

B

Balint, J.-L., See Vukoslavčević, P., Balint, J.-L., and Wallace, J. M., pp. 220–223.
Barron, R. M., See Hamdan, M. H. and Barron, R. M., pp. 433–438.
Baskharone, E. A. and Hensel, S. J., A New Model for Leakage Prediction in Shrouded-Impeller Turbopumps, pp. 118–125.
Bassi, F., Perdichizzi, A., Osnaghi, C., and Savini, M., Secondary Flows in a Transonic Cascade: Comparison Between Experimental and Numerical Results, pp. 369–377.
Bistafa, S. R., Lauchle, G. C., and Reethof, G., Noise Generated by Cavitation in Orifice Plates, pp. 278–289.
Bogard, D. G., See Goenka, L. N., Panton, R. L., and Bogard, pp. 111–117.
Boyle, M. T. and Langston, L. S., Asymmetrical Boundary Layer Separation at the Base of a Two Cylinder Geometry, pp. 443–448.
Bruggeman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., Flow Induced Pulsations in Gas Transport Systems: Analysis of the Influence of Closed Side Branches, pp. 484–491.

C

Chandrasekhara, M. S., See Ramaprian, B. R. and Chandrasekhara, pp. 69–77.
Choi, S., Kim, J. W., and Hyun, J. M., Transient Free Surface Shape in an Abruptly Rotating, Partially Filled Cylinder, pp. 439–442.
Choi, Y. D., Iacovides, H., and Launder, B. E., Numerical Computation of Turbulent Flow in a Square-Sectioned 180 Deg Bend, pp. 59–68.
Chow, L. C., LeLand, J. E., Beam, J. E., and Mahefkey, E. T., The Drag Coefficient of a Sphere in a Square Channel, pp. 229–230.
Clausen, P. D. and Wood, D. H., The Corrections of X-Probe Results for Transverse Contamination, pp. 226–229.
Cockrell, D. J., Nigim, H. H., and Alhusein, M. A., Turbulent Boundary Layer Development in the Presence of Small Isolated Two-Dimensional Surface Discontinuites, pp. 472–477.
Cox, S. A., See Porges, K. G. A., Cox, S. A., Herzenberg, C., and Kampschoer, C., pp. 337–341.
Crowe, C. T., See Sharma, M. P. and Crowe, C. T., pp. 184–190.

D

d'Agostino, L., Pham, T., and Green, S., Comparison of a Cavitation Susceptibility Meter and Holography for Nuclei Detection in Liquids, pp. 197–203.
Dimmick, R. L., See Jumper, E. L., Dimmick, R. L., and Allaire, A. J. S., pp. 256–262.
Dimotakis, P. E., See Shen, Y. T. and Dimotakis, P. E., pp. 306–316.
Duh, T-Y. and Shi, Y-D., Fully Developed Flow in Curved Channels of Square Cross Sections Inclined, pp. 172–177.
Dutton, J. C., See Morris, M. J. and Dutton, J. C., pp. 400–407.
Dutton, J. C., See Morris, M. J. and Dutton, J. C., pp. 392–399.
Dyment, A., A Modified Form of the Betz' Wind Turbine Theory Including Losses, pp. 358–359.

E

Eidsvik, K. J., See Solberg, T. and Eidsvik, K. J., pp. 414–419.
Ervin, J. S., Suryanarayana, N. W., and Ng, Hon Chai, Radial, Turbulent Flow of a Fluid Between Two Coaxial Disks, pp. 378–383.
Evers, L. W., See Nelson, D. A., Evers, L. W., O'Donnell, D. M., and Morgn, E. J., pp. 348–352.

F

Freymuth, P., Visualizing the Connectivity of Vortex Systems for Pitching Wings, pp. 217–220.
Fruman, D. H. and Afalo, S. S., Tip Vortex Cavitation Inhibition by Drag-Reducing Polymer Solutions, pp. 211–216.
Fry, S. A., See Wood, R. J. K. and Fry, S. A., pp. 271–277.
Fry, S. A., The Damage Capacity of Cavititating Flow From Pulse Height Analysis, pp. 502–509.
Fung, Y. T., Unstable Waves of Jet Flows With Density Inhomogeneity, pp. 238–242.

G

Goenka, L. N., Panton, R. L., and Bogard, D. G., Studies of Flow Patterns in a Diffuser Designed to Generate Longitudinal Vortices (89-FE-5), pp. 111–117.
Gorter, J., See Bruggman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., pp. 484–491.
Granville, P. S., A Modified Van Driest Formula for the Mixing Length of Turbulent Boundary Layers in Pressure Gradients, pp. 94–97.
Green, S., See d'Agostino, L., Pham, T., and Green, S., pp. 197–203.
Green, P. R., A Useful Approximation to the Error Function: Applications to Mass, Momentum, and Energy Transport in Shear Layers, pp. 224–226.
Grimley, T. A., See Park, J. T., Mannheimer, R. J., Grimley, T. A., and Morrow, T. B., pp. 331–336.

H

Hailey, C. E., See Wolfe, W. P., Hailey, C. E., and Oberkampf, W. L., pp. 300–305.

Hamdan, M. H. and Barron, R. M., Shear-Driven Flow in a Porous Cavity, pp. 433–438.
Haniu, H., See Ramaprian, B. R., and Haniu, H., pp. 130–138.
Haniu, H. and Ramaprian, B. R., Studies on Two-Dimensional Curved Nonbuoyant Jets in Cross Flow, pp. 78–86.
Hasani, S. M. F., See Thomas, L. C. and Hasani, S. M. F., pp. 420–427.
Hensel, S. J., See Baskharone, E. A. and Hensel, S. J., pp. 118–125.
Herzenberg, C., See Porges, K. G. A., Cox, S. A., Herzenberg, C., and Kampschoer, C., pp. 337–341.
Higuchi, H., Arndt, R. E. A., and Rogers, M. F., Characteristics of Tip Vortex Cavitation Noise, pp. 495–501.
Hirata, M., See Nishino, K., Kasagi, N., and Hirata, M., pp. 384–391.
Hirschberg, A., See Bruggeman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., pp. 484–491.
Honami, S., See Isomoto, K. and Honami, S., pp. 87–92.
Hussain, A. K. M. F., See Nallasamy, M. and Hussain, A. K. M. F., pp. 102–103.
Hyun, J. M., See Choi, S., Kim, J. W., and Hyun, J. M., pp. 439–442.

I

Iacovides, H., See Choi, Y. D., Iacovides, H., and Launder, B. E., pp. 59–68.
Ihara, A., Watanabe, H., and Shizukuishi, S., Experimental Research of the Effects of Sweep on Unsteady Hydrofoil Loading in Cavitation, pp. 263–270.
Isomoto, K. and Honami, S., The Effect of Inlet Turbulence Intensity on the Reattachment Process Over a Backward-Facing Step, pp. 87–92.

J

Jones, W. P. and Pascau, A., Calculation of Confined Swirling Flows With a Second Moment Closure, pp. 248–255.
Jumper, E. L., Dimmick, R. L., and Allaire, A. J. S., The Effect of Pitch Location on Dynamic Stall, pp. 256–262.

K

Kampschoer, C., See Porges, K. G. A., Cox, S. A., and Herzenberg, C., and Kampscheor, C., pp. 337–341.
Kasagi, N., See Nishino, K., Kasagi, N., and Hirata, M., pp. 384–391.
Kato, H., See Kubota, A., Kato, H., Yamaguchi, H., and Maeda, M., pp. 204–210.
Katz, J. and Largman, R., Effect of 90 Degree Flap on the Aerodynamics of a Two-Element Airfoil, pp. 93–94.
Katz, J. and Largman, R., Experimental Study of the Aerodynamic Interaction Between an Enclosed-Wheel Racing-Car and Its Rear Wing (89-FE-6), pp. 154–159.
Kim, J. W., See Choi, S., Kim, J. W., and Hyun, J. M., pp. 439–442.
Kind, R. J., Yowakim, F. M., and Sjolander, S. A., The Law of the Wall for Swirling Flow in Annular Ducts (89-FE-7), pp. 160–164.
Kiya, M. and Tamura, H., Flow About a Circular Cylinder in and Near a Turbulent Plane Mixing Layer, pp. 124–129.
Kjörk, A. and Löfdahl, L., Hot-Wire Measurements Inside a Centrifugal Fan Impeller, pp. 363–368.
Kubota, A., Kato, H., Yamaguchi, H., and Maeda, M., Unsteady Structure Measurement of Cloud Cavitation on Foil Section Using Conditional Sampling Technique, pp. 204–210.

L

Lai, K. Y. M. and Makomaski, A. H., Three-Dimensional Flow Pattern Upstream of a Surface-Mounted Rectangular Obstruction, pp. 449–456.
Langston, L. S., See Boyle, M. T. and Langston, L. S., pp. 443–448.
Largman, R., See Katz, J. and Largman, R., pp. 154–159.
Largman, R., See Katz, J. and Largman, R., pp. 93–94.
Lauchle, G. C., See Bistafa, S. R., Lauchle, G. C., and Reethof, G., pp. 278–289.
Launder, B. E., See Choi, Y. D., Iacovides, H., and Launder, B. E., pp. 59–68.
Lecointe, Y. and Piquet, J., Flow Structure in the Wake of an Oscillating Cylinder, pp. 139–148.
Lefebvre, A. H., See Snyder, H. E., Senser, D. W., and Lefebvre, A. H., pp. 342–247.
Lefebvre, P. J. and White, F. M., Experiments on Transition to Turbulence in a Constant-Acceleration Pipe Flow, pp. 428–433.
Löfdahl, L., See Kjörk, A. and Löfdahl, L., pp. 363–368.
Logan, E. and Phataraphruk, P., Mean Flow Downstream of Two-Dimensional Roughness Elements (89-FE-11), pp. 149–153.
Lozowski, E. P., See Zhuang, Y., Wilson, J. D., and Lozowski, E. P., pp. 492–494.

M

Madsen, B. W., A Portable Slurry Wear Test for the Field, pp. 324–330.
Maeda, M., See Kubota, A., Kato, H., Yamaguchi, H., and Maeda, M., pp. 204–210.
Makomaski, A. H., See Lai, K. Y. M. and Makomaski, A. H., pp. 449–456.
Mannheimer, R. J., See Park, J. T., Mannheimer, R. J., and Grimley, T. A., and Morrow, T. B., pp. 331–336.
Morgan, E. J., See Nelson, D. A., Evers, L. W., O'Donnell, D. M., and Morgan, E. J., pp. 348–352.
Morris, M. J. and Dutton, J. C., Compressible Flowfield Characteristics of Butterfly Valves, pp. 400–407.
Morris, M. J. and Dutton, J. C., Aerodynamic Torque Characteristics of Butterfly Valves in Compressible Flow, pp. 392–399.
Morrow, T. B., See Park, J. T., Mannheimer, R. J., Grimley, T. A., and Morrow, T. B., pp. 331–336.

N

Nallasamy, M. and Hussain, A. K. M. F., Effects of Excitation on Turbulence Levels in a Shear Layer, pp. 102–103.
Nelson, D. A., Evers, L. W., O'Donnell, D. M., and Morgan, E. J., Determination of Surface Pressure Distributions of Axisymmetric Bluff Bodies, pp. 348–352.
Ng, H. C., See Ervin, J. S., Suryanarayana, N. W., and Ng, Hon Chai, pp. 378–383.
Nienaltowska, E., The Use of Photoelastic Method to Study the Effects of Bubble Collapse on Surfaces, pp. 353–356.
Nigim, H. H., See Cockrell, D. J., Nigim, H. H., and Alhusein, M. A., pp. 472–477.
Nishino, K., Kasagi, N., and Hirata, M., Three-Dimensional Particle Tracking Velocimetry Based on Automated Digital Image Processing, pp. 384–391.
Nitsche, W., See Steiglmeier, M., Tropea, C., Weiser, N., and Nitsche, W., pp. 464–471.

O

O'Donnell, D. M., See Nelson, D. A., Evers, L. W., O'Donnell, D. M., and Morgan, E. J., pp. 348–352.

Oberkampf, W. L., See Wolfe, W. P., Hailey, C. E., and Oberkampf, W. L., pp. 300–305.
Ogawa, T., Yoshida, H., and Yokota, Y., Development of Rotational Speed Control Systems for a Savonius-Type Wind Tunnel, pp. 53–58.
Osnaghi, C., See Bassi, F., and Perdichizzi, A., Osnaghi, C., and Savini, M., pp. 369–377.

P

Panton, R. L., See Goenka, L. N., Panton, R. L., and Bogard, pp. 111–117.
Park, J. T., Mannheimer, R. J., Grimley, T. A., and Morrow, T. B., Pipe Flow Measurements of a Transparent Non-Newtonian Slurry, pp. 331–336.
Pascau, A., See Jones, W. P. and Pascau, A., pp. 248–255.
Perdichizzi, A., See Bassi, F., Perdischizzi, A., Osnaghi, C., and Savini, M., pp. 369–377.
Pham, T., See D'Agostino, L., Pham, T., and Green, S., pp. 197–203.
Phataraphruk, P., See Logan, E. and Phataraphruk, P., pp. 149–153.
Piquet, J., See Lecointe, Y. and Piquet, J., pp. 139–148.
Pletcher, R. H., See Sheriff, S. A. and Pletcher, R. H., pp. 165–171.
Porges, K. G. A., Cox, S. A., Herzenberg, C., and Kampschoer, C., Flow Speed Measurement and Rheometry by Pulsed Neutron Activation, pp. 337–341.

R

Ramaprian, B. R. and Haniu, H., Measurements in Two-Dimensional Plumes in Crossflow, pp. 130–138.
Ramaprian, B. R. and Chandrasekahara, M. S., Measurements in Vertical Plane Turbulent Plumes, pp. 69–77.
Ramaprian, B. R., See Haniu, H. and Ramaprian, B. R., pp. 78–86.
Rand, O., Extension of the Circle Theorems by Surface Source Distribution, pp. 243–247.
Reda, D. C., See Russo, A. J., and Reda, D. C., pp. 191–196.
Reethof, G., Se Bistafa, S. R., Lauchle, G. C., and Reethof, G., pp. 278–289.
Roco, M. C., See Sumner, R. J., Shook, C. A., and Roco, M. C., pp. 317–323.
Rogers, M. F., See Higuchi, H., Arndt, R. E. A., and Rogers, M. F., pp. 495–501.
Russo, A. J. and Reda, D. C., Drying of an Initially Saturated Fractured Volcanic Tuff, pp. 191–196.

S

Sarpkaya, T., Computational Methods with Vortices—The 1988 Freeman Scholar Lecture, pp. 5–52.
Savini, M., See Bassi, F., Perdischizzi, A., Osnaghi, C., and Savini, M., pp. 369–377.
Selby, G. V., Passive Control of Three-Dimensional Separated Vortical Flow Associated With Swept Rearward-Facing Steps, pp. 99–101.
Senser, D. W., See Snyder, H. E., Senser, D. W., and Lefebvre, A. H., pp. 342–247.
Sharma, M. P. and Crowe, C. T., Application of Computer Modeling in the Design of a Multiphase Flow Metering System, pp. 184–190.
Shen, Y. T. and Dimotakis, P. E., Viscous and Nuclei Effects on Hydrodynamic Loadings and Cavitation of a NACA 66 (MOD) Foil Section, pp. 306–316.
Sherif, S. A. and Pletcher, R. H., Measurements of the Flow and Turbulence Characteristics of Round Jets in Crossflow, pp. 165–171.
Shih, Y-D., See Duh, Tay-Yueh and Shi, Yaw-Dong, pp. 172–177.
Shizukuishi, S., See Ihara, A., Watanabe, H., and Shizukuishi, S., pp. 263–270.
Shook, C. A., See Sumner, R. J., Shook, C. A., and Roco, M. C., pp. 317–323.
Singler, T. J., Boundary Layer Measurements at an Internal Free Surface in a Partially Filled Horizontal and Rapidly-Rotating Container, pp. 457–463.
Sjolander, S. A., See Kind, R. J., Yowakim, F. M., and Sjolander, S. A., pp. 160–164.
Snyder, H. E., Senser, D. W., and Lefebvre, A. H., Mean Dro Sizes From Fan Spray Atomizers, pp. 342–347.
Solberg, T. and Eidsvik, K. J., Flow Over a Cylinder at a Plane Boundary—A Model Based Upon (k-) Turbulence, pp. 414–419.
Soundalgekar, V. M., See Takhar, H. S., Ali, M. A., and Soundalgekar, V. M., pp. 97–99.
Stamou, A. I., See Adams, W. E. and Stamou, A. I., pp. 408–413.
Stern, F., Comparison of Computational and Experimental Unsteady Cavitation on a Pitching Foil, pp. 290–299.
Steiglmeier, M., Tropea, C., Weiser, N., and Nitsche, W., Experimental Investigation of the Flow Through Axisymmetric Expansions, pp. 464–471.
Sumner, R. J., Shook, C. A., and Roco, M. C., Concentration Fluctuation Spectra in Turbulent Slurry Pipeline Flow, pp. 317–323.
Suo, L. and Wylie, E. B., Impulse Response Method for Frequency-Dependent Pipeline Transients, pp. 478–483.
Suryanarayana, N. V., See Ervin, J. S., Suryanarayana, N. W., and Ng, Hon Chai, pp. 378–383.

T

Takhar, H. S., Ali, M. A., and Soundalgekar, V. M., Stability of the Flow Between Rotating Cylinders—Wide-Gap Problem, pp. 97–99.
Tamura, H., See M. Kiya and Tamura, H., pp. 124–129.
Thomas, L. C. and Hasani, S. M. F., Supplementary Boundary-Layer Approximations for Turbulent Flow, pp. 420–427.
Thorley, A. R. D., Check Valve Behavior Under Transient Flow Conditions: A State-of-the-Art Review, pp. 178–183.
Tropea, C., See Steiglmeier, M., Tropea, C., Weiser, N., and Nitsche, W., pp. 464–471.

V

van Dongen, M. E. H., See Bruggeman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., pp. 484–491.
Vukoslavčević, P., Balint, J.-L., and Wallace, J. M., A Multisensor Hot-Wire Probe to Measure Vorticity and Velocity in Turbulent Flows, pp. 220–223.

W

Wallace, J. M., See Vukoslavčević, P., Balint, J.-L., and Wallace, J. M., pp. 220–223.
Watanabe, H., See Ihara, A., Watanabe, H., and Shizukuishi, S., pp. 263–270.
Weiser, N., See Steiglmeier, M., Tropea, C., Weiser, N., and Nitsche, W., pp. 464–471.
White, F. M., See Lefebvre, P. J. and White, F. M., pp. 428–433.
Wijnands, A. P. J., See Bruggeman, J. C., Hirschberg, A., van Dongen, M. E. H., Wijnands, A. P. J., and Gorter, J., pp. 484–491.

Wilson, J. D., See Zhuang, Y., Wilson, J. D., and Lozowski, E. P., pp. 492–494.
Wolfe, W. P., Hailey, C. E., and Oberkampf, W. L., Drag of Bodies of Revolution in Supercavitating Flow, pp. 300–305.
Wood, D. H., See Clausen, P. D. and Wood, D. H., pp. 226–229.
Wood, R. J. K. and Fry, S. A., The Synergistic Effect of Cavitation Erosion and Corrosion for Copper and Cupro-Nickel in Seawater, pp. 271–277.
Wylie, E. B., See Suo, L. and Wylie, E. B., pp. 478–483.

Y

Yamaguchi, H., See Kubota, A., Kato, H., Yamaguchi, H., and Maeda, M., pp. 204–210.
Yokota, Y., See Ogawa, T., Yoshida, H., and Yokota, Y., pp. 53–58.
Yoshida, H., See Ogawa, T., Yoshida, H., and Yokota, Y., pp. 53–58.
Yowakim, F. M., See Kind, R. J., Yowakim, F. M., and Sjolander, S. A., pp. 160–164.

Z

Zdravkovich, M. M., Comment on the Loss of Vorticity in the Near Wake of Bluff Bodies, pp. 104–105.
Zhuang, Y., Wilson, J. D., and Lozowski, E. P., A Trajectory-Simulation Model for Heavy Particle Motion in Turbulent Flow, pp. 492–494.

Books Received in 1988, p. 359.

List of 1988 Reviewers, pp. 231–232.

SAVE UP TO 50% ON PUBLICATIONS AND TECHNICAL PAPERS

With an ASME Standing Order Plan you can ***save as much as 50%*** *on Technical Papers and Symposia/Proceedings and enjoy the convenience of having your* ***publications mailed to you automatically and fast!***

You can start building a complete library in your area(s) of interest in mechanical engineering by choosing one of the following plans:

- ***All ASME Technical Papers***
- ***All ASME Symposia/Proceedings***
- ***Both Technical Papers and Symposia/Proceedings***
- ***Technical Papers and/or Symposia/Proceedings in specific subject areas of mechanical engineering***

Whichever plan you choose, you know you will be saving a lot of money, time and effort, so start a Standing Order Plan today!

To receive a free brochure (with details of Plan savings) or to start a Standing Order Plan now, write or call Mr. John Yelavich, ASME Customer Service, 22 Law Drive, Box 2350, Fairfield, NJ 07007-2350; 1-800-THE-ASME(843-2763). In New Jersey, call 1-201-882-1167.

The American Society of Mechanical Engineers